

# **WELL CHILD EXAM - INFANCY: 12 MONTHS**

(Meets EPSDT Guidelines)

DATE

유년기 초기 (12개월)						
	아동의 이름		리고 온 사람:		생년월일	
	알레르기 문제		현재 복용하고 있는	: 약품		
<u>*</u>	지난 방문 이후의 질병/사고/문제/염력사항 등			오늘 질문한 사항:		
머						
平 如						
<u>=</u> ₹0						
<u>8</u>	예 아니오	, c	계 아니오			
9 0	법으로 마십니다.	」 │ │				
<u> </u>	다양한 음식을 먹습니다.	스스로 일어 섭니다.				
	│ │					
WEIGHT K	G./OZ. PERCENTILE HEIGHT CM/IN. PERCENTILE HEAD CIR. PERCE					
			Diet			
			Elimination			
Re	eview of systems Review of family history		LiiiiiiduUii			
			Sleep			
			Review Immunization Record Lead Exposure			
	•	<u> </u> -				
Screen	ing: N A		Fluoride Supplements Fluoride Varnish			
Hearin	g		Hct/Hgb Tb Dental Referral			
Vision			Hoalth Education	(Chook all discuss	od/handouts givon)	
			Health Education: (Check all discussed/handouts given)			
	pment: Circle area of concern		Family Planning Safety Passive Smoke			
	ve/Cognitive Language/Communication		Development Crib Safety Appropriate Car Seat			
Gross	Motor Social/Emotional Fine Motor					
Behavi	or	_	Infant Bond Feeding/colic Fever			
Mental	Health		Teeth Care Weaning Language Stimulation			
Physic	al· N A NI	, I	Discipline Limits Child care			
1	al: N A N al appearance Chest	A				
Skin		HIL	Other:			
	Fontanelle Lungs Cardiovascular/Pulses	H	Assessment/Plan:			
		H	Assessment/Plan:			
	Cover/Uncover) Abdomen					
Ears						
Nose	Spine	H				
· ·	arynx/Teeth Extremities	$\square$				
Neck	Neurologic					
Nodes	Gait					
Descril	pe abnormal findings and comments:					
December apricing and comments.						
		IN	MUNIZATIONS GI	VEN		
				· · •		
			EFERRALS			
NEVY VICIT. 40 MONTHS OF ACE			HEALTH PROVIDER NAME			
NEXT VISIT: 18 MONTHS OF AGE						
HEALTH	PROVIDER SIGNATURE	Н	HEALTH PROVIDER ADDRESS			
DSHS 13-683E KO (REV. 08/2004) SEE DICTATION						

DISTRIBUTION: White - Physician Yellow - Parent/Guardian

**INFANCY: 12 MONTHS** 

#### **Guidance to Physicians and Nurse Practitioners for Infancy (12 months)**

The following highlight EPSDT screens where practitioners often have questions. They are not comprehensive quidelines.

#### Fluoride Screen

Look for white spots or decay on teeth. Check for history of decay in family. Fluoride supplements should be considered for all children drinking fluoride deficient (<0.6 ppm F) water. Before supplements are prescribed, it is essential to know the fluoride concentration of the patient's drinking water. Once the fluoride level of the water supply has been evaluated, either through contacting the public health officials or water analysis, as well as evaluating other sources of fluoride, the daily dosage schedule can be recommended. Pediatric Dentistry: Reference Manual 1999--00.(21)5.

#### Lead Screen

Screen infants for these risk factors:

- Live in or frequently visit day care center, preschool, baby sitter's home or other structure built before 1950 that is dilapidated or being renovated.
- Come in contact with other children with known lead toxicity (i.e., blood lead 15 ug/dl).
- Live near a lead processing plant or with parents or household members who work in a lead-related occupation (e.g., battery recycling plant).

#### **Developmental Milestones**

Always ask about and follow-up on parent concerns about development or behavior. You may use the following screening list, or use the Ages and Stages Questionnaire, the Denver II, the ELMS2 (a language screen), or the MacArthur Communication Development Inventory.

es/	No	
		Stands alone 2 seconds.
		Walks with help.
		Says "Dada" and Mama" specifically.
		Responds to "no".
		Precise pincer grasp.
		Indicates wants by pointing or gestures.
		Responds to "pat-a-cake" or waving "bye-bye".
		Bangs 2 blocks together.
	•	Avoids eye contact.
	•	Concerned child cannot hear or "tunes out."
	•	No babbling, pointing, or other gestures.

Instructions for developmental milestones: At least 90% of infants should achieve <a href="milestones">the underlined</a> <a href="milestones">milestones</a> by this age. If you have checked "no" on any two items or even one of the underlined items, or one of the boxed items (abnormal behavior at this age), refer the infant for a formal developmental assessment.

Notes: Immunization schedules are from the Advisory Committee on Immunization Practice of the U.S. Centers for Disease Control and Prevention. Parents and providers may call Healthy Mothers, Healthy Babies (1-800-322-2588) with questions or conerns on childhood development.



건강진단 - 유년기 초기 (12개월) WELL CHILD EXAM - INFANCY: 12 MONTHS (EPSDT 직침 준수)

날짜

유년기 초기 (12 <b>기</b> 월)							
				를 데리고 온 사람: 생년윌일		생년월일	
	알레르기 문제			현재 복용하고 있는 약품			
다.	지난 방문 이후의 질병/사고/문제/염력사항 등			오늘 질문한 사항:			
사 사 라 다 다							
	예 아니오 컵으	로 마십니다.		예 아니오			
0	다양한 음식을 먹습니다. 스스로 일어 섭니다. 저는 자주 슬픈 기분이 들지는 않습니다.						
체중 KG./OZ	7. 백분율	신장 CM/IN. 넥분율 두	상둘레 백분율	식 사			
				· 배설(대/소변)			
신체검사     가족병력검토				수면 예방접종 기록 검토			
검사항목: 정상 비정상				불소보충 불소 처리			
청력검사				Hct/Hgb (헤마토크리토/ Tb(결핵)			
	발달 사항: 염력하는 부문에 동그라미로 표하십시오. 적응력/인식력 언어능력/의사소통						
대 운동	·근육(신경)	사회적/정서적 사항 소	운동근육(신경)	발육(발달)상태 안전한 유아용 작정 카-시트 이기와의 급식/복통 열			
행동사 정신건	_			치아 관리	 이유식	언어(말) 고무시키기	
신 체: 외모	?	정상 비정상 <b></b>	정상 비정상	징계/제약	탁 아소		
피부 머리/정	수리 후천문		박	 평가/계획:			
눈(가림 귀	/카리지 않음)	복부 생식기					
코 구강인	두/치아	□     □       □     ↓       ←     ←       (     ←       ○     ○       ○<					
목 결절		신경 걸음걸이					
이상 건강에 대한 설명이나 의견:							
				예방접종			
				의뢰			
				진찰자 성명			
				진 찰자(진료윈) 주소			
DSHS 13-683E KO (REV. 08/2004) 구술 참조							

유아기: 12개월

# 12개월 아동의 건강

#### 성장 과도기

# 12개월에서 18개월 사이의 아이 발욱 범위들

사용 낱말이 늘어납니다. 15개월까지는 3-10낱말. 18개월까지는 15-20낱말 정도

두. 세 블록을 쌓을 수 있습니다.

잘 걷습니다. 도와주면 층계를 오릅니다.

눈, 코, 입 등, 신체 일부의 명칭을 알며 지적할 수 있습니다.

간단한 지시사항은 따라합니다.

아이가 세로운 기술을 배우는 데 도움이 되도록 아이와 대화하고 놀아줍니다.

### 도움이나 상세한 정보를 원할 때

특별지원이 필요한 아동을 가진 부모를 위한 지원 기관: Washington State Parent to Parent Program, 1-800-821-5927.

**독극물 예방:** Washington Poison Center, 1-800-732-6985 (음성), 1-800-572-0639 (TTY 자막); 비상 사태시에 911로 전화

#### 아동의 건강과 발달 예방접종:

Healthy Mothers, Healthy Babies 정보와 의뢰기관 전화번호, 1-800-322-2588 (음성) 혹은 1-800-833-6388 (TTY 자막)

**양육기술과 지원정보:** 가족 헬프 전화번호, 1-800-932-HOPE (4673) Family Resources Northwest, 1-888-746-9568 지역 커뮤니티 칼리지 강좌

### 건강정보

시기 적절한 예방접종은 자녀를 심각한 질병으로부터 보호할 수 있습니다. 아직 접종하지 않은 백신이 있으면 접종을 할 수 있도록 예약합니다. 건강진단을 받으러 갈 때 예방접종 기록부를 가져 갑니다. 예방접종에 대해 질문이 있으면 의사나 간호윈에게 문의합니다.

이제부터는 다양한 영양식을 먹여야 합니다. 부드러운 식탁용 음식을 잘게 해서 주면 필요한 영양을 보급할 수 있습니다.

자녀가 우유병을 사용하였으면 이제부터는 우유병 대신에 컵을 사용케 하십시오. 지금까지 모유를 먹이면 계속 먹여도 무관합니다!

최소한 매일 자녀의 치아를 닦아 줍니다. 불소치약을 완두콩 크기만큼 아주적게 해서 닦습니다. 치과의사에게 데리고 가 첫 치아 검진을 받도록 하십시오.

## 양욱 정보

매일 자녀와 놀아 주는 것 외 책을 읽어 주고 이야길 합니다. 아이가 좋아하는 노래나 자장가를 반복하여 들려 주십시오.

원하는 것을 자녀에게 말해 주십시오. 하지만 이러한 것을 이행하기에는 아직 어리다는 것을 상기해야 합니다! 자녀는 말로 표현하기 보다는 더 잘 알아 들을 수 있습니다. 좋아하는 것을 하였을 경우 칭찬해 주십시오.

#### 안전정보

자녀가 걸음마를 하고 기어 오르기 시작하면, 자녀가 다니기에 아무런 문제가 없는 지 확인해 보십시오, 항상 바닥을 깨끗이 하고 독극성 물품은 벽장에 넣어 잠긔 두고, 깨어지기 쉬운 물건은 높은 선반에 두며, 층계 통로문은 닫아 둡니다.

아기들은 조그만한 물건으로도 질식할 수 있습니다. 작고, 딱딱하며 둥근 모양의 물건(동전, 소형블록)은 아기의 손에 닿지 않는 곳에 두십시오. 핫도그 조각, 포도, 콩과 같이 둥근 모양의 식품은 주지 않도록 하십시오.

아기를 카-시트에 앉힙니다. 1살이 되고 체중이 20 파운드가 되면 카-시트를 앞 쪽으로 향하도록 둘수 있습니다.